

Алматы (727)345-47-04
Ангарск (3955)60-70-56
Архангельск (8182)63-90-72
Астрахань (8512)99-46-04
Барнаул (3852)73-04-60
Белгород (4722)40-23-64
Благовещенск (4162)22-76-07
Брянск (4832)59-03-52
Владивосток (423)249-28-31
Владикавказ (8672)28-90-48
Владимир (4922)49-43-18
Волгоград (844)278-03-48
Вологда (8172)26-41-59
Воронеж (473)204-51-73
Екатеринбург (343)384-55-89

Россия +7(495)268-04-70

Иваново (4932)77-34-06
Ижевск (3412)26-03-58
Иркутск (395)279-98-46
Казань (843)206-01-48
Калининград (4012)72-03-81
Калуга (4842)92-23-67
Кемерово (3842)65-04-62
Киров (8332)68-02-04
Коломна (4966)23-41-49
Кострома (4942)77-07-48
Краснодар (861)203-40-90
Красноярск (391)204-63-61
Курск (4712)77-13-04
Курган (3522)50-90-47
Липецк (4742)52-20-81

Казахстан +7(727)345-47-04

Магнитогорск (3519)55-03-13
Москва (495)268-04-70
Мурманск (8152)59-64-93
Набережные Челны (8552)20-53-41
Нижний Новгород (831)429-08-12
Новокузнецк (3843)20-46-81
Ноябрьск (3496)41-32-12
Новосибирск (383)227-86-73
Омск (3812)21-46-40
Орел (4862)44-53-42
Оренбург (3532)37-68-04
Пенза (8412)22-31-16
Петрозаводск (8142)55-98-37
Псков (8112)59-10-37
Пермь (342)205-81-47

Беларусь +(375)257-127-884

Ростов-на-Дону (863)308-18-15
Рязань (4912)46-61-64
Самара (846)206-03-16
Санкт-Петербург (812)309-46-40
Саранск (8342)22-96-24
Саратов (845)249-38-78
Севастополь (8692)22-31-93
Симферополь (3652)67-13-56
Смоленск (4812)29-41-54
Сочи (862)225-72-31
Ставрополь (8652)20-65-13
Сургут (3462)77-98-35
Сыктывкар (8212)25-95-17
Тамбов (4752)50-40-97
Тверь (4822)63-31-35

Узбекистан +998(71)205-18-59

Тольятти (8482)63-91-07
Томск (3822)98-41-53
Тула (4872)33-79-87
Тюмень (3452)66-21-18
Улан-Удэ (3012)59-97-51
Ульяновск (8422)24-23-59
Уфа (347)229-48-12
Хабаровск (4212)92-98-04
Чебоксары (8352)28-53-07
Челябинск (351)202-03-61
Череповец (8202)49-02-64
Чита (3022)38-34-83
Якутск (4112)23-90-97
Ярославль (4852)69-52-93

Киргизия +996(312)96-26-47

<https://bycon.nt-rt.ru> || boh@nt-rt.ru

Бензиновые инструменты



PETROL
TOOLS
SOLUTION



Standard sleeves included



DPD-80

1. Light duty model post driver.

2. Perfect for driving T-posts, composite posts, fiberglass rods and chain-link fence post from 20-78mm.

3. Simple recoil pull start with trigger throttle and intergrated stop button.

4. Included 1pc thread-protector retainer, 3pcs reducer sleeve for different posts, rods or rebar etc.

5. Blow case packed.

MODEL:	DPD-80	DPD-80
ART NO:	1201080	1202080
MAX. POST:	80mm	80mm
ENGINE TYPE:	140FA, 4-stroke,	Honda GX35
DISPLACEMENT:	37.7CC	35.8CC
FUEL TANK VOLUME:	0.58L	0.63L
OIL TANK VOLUME:	0.08L	0.1L
MAX POWER AND SPEED:	1kw / 6500 r/min	1kw / 7000 r/min
FUEL CONSUMPTION RATE:	≤ 480 g/kw.h	≤ 480 g/kw.h
IMPACT FREQUENCY:	800-1600bpm	800-1600bpm
IMPACT ENERGY:	15-45 J	15-45 J
STARTER SYSTEM:	Hand-pull start	Hand-pull start
PRODUCT SIZE:	69.5x30x27.5cm	69.5x30x27.5cm
NET WEIGHT:	14kg	14kg
GROSS WEIGHT:	25kg	25kg
DIMENSION::	85.5x35x47.5cm	85.5x35x47.5cm

TENT STAKE ,MARQUEE PINS POST DRIVER

DPD-100N

1. Post driving capacity from 10mm to 58mm.
2. Simple recoil pull start with trigger throttle and intergrated stop button.
3. Perfect for marquee pins driving, included building contracts, marquee companies and festival organisers etc.





MODEL:	DPD-100N
ART NO:	1201100N
MAX. POST:	60mm
ENGINE TYPE:	1E44F-2A , 2-stroke,
MIXED FUEL:	25:1
DISPLACEMENT:	51.7CC
FUEL TANK VOLUME:	1.2L
OIL TANK VOLUME:	/
MAX POWER AND SPEED:	1.4kw / 6500 r/min
FUEL CONSUMPTION RATE:	≤ 610 g/kw.h
IMPACT FREQUENCY:	820-1200bpm
IMPACT ENERGY:	25-50 J
STARTER SYSTEM:	Hand-pull start
PRODUCT SIZE:	74.5x30x34.5cm
NET WEIGHT:	17.9kg
GROSS WEIGHT:	27.9kg
DIMENSION::	85.5x35x47.5cm





UNIVERSAL MID-DUTY JOB, FENCE POST DRIVER

DPD-100

- Nurseries – Tree and plant support
- Vineyards – Especially steep hillsides
- Farming – Sheep and cattle fencing
- Construction – Temporary fencing/shuttering/ground pinning
- Contractors – Tent Stakes/Ground Anchors/Signage
- Festival/Fair Organisers – Signage/Temporary fencing

MODEL:	DPD-100	DPD-100
ART NO:	1201100	1202100
MAX. POST:	100mm	100mm
ENGINE TYPE:	1E44F-2A , 2-stroke	Honda GX35
MIXED FUEL:	25:1	/
DISPLACEMENT:	51.7CC	35.8CC
FUEL TANK VOLUME:	1.2L	0.63L
OIL TANK VOLUME:	/	0.1L
MAX POWER AND SPEED:	1.4kw / 6500 r/min	1kw / 7000 r/min
FUEL CONSUMPTION RATE:	≤ 610 g/kw.h	≤ 480 g/kw.h
IMPACT FREQUENCY:	820-1200bpm	820-1200bpm
IMPACT ENERGY:	25-55 J	25-50 J
STARTER SYSTEM:	Hand-pull start	Hand-pull start
PRODUCT SIZE:	74.5x30x34.5cm	74.5x30x34.5cm
NET WEIGHT:	18.75kg	18kg
GROSS WEIGHT:	28.75kg	28kg
DIMENSION::	85.5x35x47.5cm	85.5x35x47.5cm



DPD-100

1. Mid duty model post driver , a commerical grade machine designed to knock any profile post into the ground.max to 100mm(4") round diameter.
2. Suitable for any post type, such as wooden pile, metal pile and plastic pile.
3. Simple recoil pull start with trigger throttle and intergrated stop button.
4. Included 1pc thread-protector retainer, 1pc 80mm(3") sleeve for different posts, rods or rebar etc.





HEAVY DUTY PROFESSIONAL POST DRIVER MAX.120MM POST

DPD-120

1. Perfect for any post up to 120mm round diameter.
2. Heavy duty model post driver suitable for professional market.
3. Portable type replaced small excavator vibratory post driver, easy carrying and operation


1. Heavy duty model post driver, a commercial grade machine designed to knock any profile post into the ground up to 120mm round diameter.

2. Suitable for any post type, such as wood, metal and plastic.

3. Simple recoil pull start with trigger throttle and integrated stop button.

4. Included 120mm adapter. 100mm and 80mm reducer sleeve are optional .

MODEL:	DPD-120	DPD-120
ART NO:	1201120	1202120
MAX. POST:	120mm	120mm
ENGINE TYPE:	140FA, 4-stroke,	Honda GX35
DISPLACEMENT:	37.7CC	35.8CC
FUEL TANK VOLUME:	0.58L	0.63L
OIL TANK VOLUME:	0.08L	0.1L
MAX POWER AND SPEED:	1kw / 6500 r/min	1kw / 7000 r/min
FUEL CONSUMPTION RATE:	≤ 480 g/kw.h	≤ 480 g/kw.h
IMPACT FREQUENCY:	900-1300bpm	900-1300bpm
IMPACT ENERGY:	25-50 J	25-50 J
STARTER SYSTEM:	Hand-pull start	Hand-pull start
PRODUCT SIZE:	83x29x32.5cm	83x29x32.5cm
NET WEIGHT:	22.7kg	22.5kg
GROSS WEIGHT:	25.2kg	25.2kg
DIMENSION::	90x40x50cm	90x40x50cm



THE KING OF MULTI-PURPOSE

SPLIT ROCKS, BREAK CONCRETE,
DRIVER POSTS, TAMP AND DRILL

DGH-49

1. One of the central application areas for the DGH-49 is railway work.
2. DGH-49 can be carried to sites that are impossible to reach with other solutions. Landslides, earthquakes and all other types of major disaster areas.
3. DGH-49 is a combination of high percussive energy and high blow frequency. With an extensive range of tools, it's suitable for cutting, breaking, to driving and compacting.
4. DGH-49 is a good choice to just break a small patch of concrete or split a rock and working in remote locations with a range of many different working tools.





MODEL:	DGH-49	DGH-49
ART NO:	1201049	1202049
ENGINE TYPE:	1E44F-2A , 2-stroke,	Honda GX35
DISPLACEMENT:	51.7CC	35.8CC
FUEL TANK VOLUME:	1.2L	0.63L
OIL TANK VOLUME:	/	0.1L
MAX POWER AND SPEED:	1.25kw / 7000 r/min	1kw / 7000 r/min
IMPACT FREQUENCY:	770-1500bpm	770-1500bpm
IMPACT ENERGY:	25-55 J	25-55 J
STARTER SYSTEM:	Hand-pull start	Hand-pull start
PRODUCT SIZE:	70x34x32.5cm	70x34x32.5cm
NET WEIGHT:	21kg	17.5kg
GROSS WEIGHT:	23.5kg	20kg
DIMENSION::	74x39x32.5cm	74x39x32.5cm





PETROL BREAKER DHD-58

The function selector allows you to switch between drilling and breaking applications.

1. Concrete breaking: When breaking concrete, please start from the edge, if possible.
2. Small drilling working: DHD-58 offers an extensive range of drill steel for different materials and jobs. Avoid making a wider hole than necessary.

PETROL BREAKER DRILLING / BREAKING PURPOSE

DHD-58

Compact, multi-angle working,
easy operation and safe



PETROL BREAKER DHD-58



MODEL:	DHD-58	DHD-58	DHD-58
ART NO:	1201058	1203058	1202058
ENGINE TYPE:	1E36F-2A , 2-stroke,	140FA, 4-stroke,	Honda GX35
DISPLACEMENT:	32.6CC	37.7CC	35.8CC
FUEL TANK VOLUME:	0.75L	0.65L	0.63L
OIL TANK VOLUME:	/	0.08L	0.1L
MAX POWER AND SPEED:	0.9kw / 6500 r/min	1kw / 6500 r/min	1kw / 7000 r/min
IMPACT FREQUENCY:	800-2800BPM	1500-2000BPM	1500-2000BPM
IMPACT ENERGY:	25-55 J	25-55 J	25-55 J
STARTER SYSTEM:	Hand-pull start	Hand-pull start	Hand-pull start
PRODUCT SIZE:	62x26x28cm	62x26x28cm	57x41x24cm
NET WEIGHT:	10kg	11kg	12kg
GROSS WEIGHT:	11kg	12kg	13kg
DIMENSION::	49x26x30cm	49x26x30cm	49x26x30cm



PETROL DRILL MOTOR

DBC-31P

DBC-31P is great for geological testing, such as road mining or drilling in the field without electricity. Hand held gasoline core drill is the most versatile hand held core drill. no generator, just add gas and core drill anywhere.



HAND HELD GASOLINE DRILL MOTOR

DBC-31P

1. Light weight, easy for operation by vibration dampened handle.
2. Built in water swivel for wet core drilling
3. It's great for accomplish core drilling into concrete /asphalt surfaces.
4. It's suitable for drilling vertical, horizontal, inverted or at any angle in between

Алматы (727)345-47-04
Ангарск (3955)60-70-56
Архангельск (8182)63-90-72
Астрахань (8512)99-46-04
Барнаул (3852)73-04-60
Белгород (4722)40-23-64
Благовещенск (4162)22-76-07
Брянск (4832)59-03-52
Владивосток (423)249-28-31
Владикавказ (8672)28-90-48
Владимир (4922)49-43-18
Волгоград (844)278-03-48
Вологда (8172)26-41-59
Воронеж (473)204-51-73
Екатеринбург (343)384-55-89

Россия +7(495)268-04-70

Иваново (4932)77-34-06
Ижевск (3412)26-03-58
Иркутск (395)279-98-46
Казань (843)206-01-48
Калининград (4012)72-03-81
Калуга (4842)92-23-67
Кемерово (3842)65-04-62
Киров (8332)68-02-04
Коломна (4966)23-41-49
Кострома (4942)77-07-48
Краснодар (861)203-40-90
Красноярск (391)204-63-61
Курск (4712)77-13-04
Курган (3522)50-90-47
Липецк (4742)52-20-81

Казахстан +7(727)345-47-04

Магнитогорск (3519)55-03-13
Москва (495)268-04-70
Мурманск (8152)59-64-93
Набережные Челны (8552)20-53-41
Нижний Новгород (831)429-08-12
Новокузнецк (3843)20-46-81
Новосибирск (3496)41-32-12
Новосибирск (383)227-86-73
Омск (3812)21-46-40
Орел (4862)44-53-42
Оренбург (3532)37-68-04
Пенза (8412)22-31-16
Петрозаводск (8142)55-98-37
Псков (8112)59-10-37
Пермь (342)205-81-47

Беларусь +(375)257-127-884

Ростов-на-Дону (863)308-18-15
Рязань (4912)46-61-64
Самара (846)206-03-16
Санкт-Петербург (812)309-46-40
Саранск (8342)22-96-24
Саратов (845)249-38-78
Севастополь (8692)22-31-93
Симферополь (3652)67-13-56
Смоленск (4812)29-41-54
Сочи (862)225-72-31
Ставрополь (8652)20-65-13
Сургут (3462)77-98-35
Сыктывкар (8212)25-95-17
Тамбов (4752)50-40-97
Тверь (4822)63-31-35

Узбекистан +998(71)205-18-59

Тольятти (8482)63-91-07
Томск (3822)98-41-53
Тула (4872)33-79-87
Тюмень (3452)66-21-18
Улан-Удэ (3012)59-97-51
Ульяновск (8422)24-23-59
Уфа (347)229-48-12
Хабаровск (4212)92-98-04
Чебоксары (8352)28-53-07
Челябинск (351)202-03-61
Череповец (8202)49-02-64
Чита (3022)38-34-83
Якутск (4112)23-90-97
Ярославль (4852)69-52-93

Киргизия +996(312)96-26-47